

*5/1*  
*conceded*  
means for removably attaching the connector housing means to the body means such that the connector housing means and the body means are held together as a unitary module; and  
means for conveying a communications signal between the communications line and a signal utilizing device.

---

*39*  
39. (Thrice Amended) A communications device, the communications device compliant with PCMCIA communications standards and which can be received by a signal utilizing device, comprising:

*4* a connector housing adapted for interfacing with a communications line;

*5* a card body adapted for making operative and removable connection with the signal  
*6* utilizing device;

*7* means for removably attaching the connector housing means to the body means such that

*4* the connector housing means and the body means are held together as a unitary module; and

*9* means for conveying a communications signal between the communications line and a

*10* signal utilizing device.

---

*68*  
68. (Once Amended) A communications device as defined in claim 34 wherein the means for conveying a communications signal comprises:

at least one recess means provided in the connector housing means, the recess means having dimensions such that a plug is closely received therein;

*6*  
a first electrical conductor provided in the recess means, the first electrical conductor being positioned such that it makes electrical continuity with a first electrical contact in the plug when the plug is received by the recess means;

3  
CIP2

a second electrical conductor provided in the recess means, the second electrical conductor being positioned such that it makes electrical continuity with a second electrical contact in the plug when the plug is received by the recess means; and

means for conveying any electrical signal present on the first and second electrical contact to the communications device.

---

70. (Once Amended) A communications device as defined in claim 69 wherein the RJ-xx series plug is selected from the group consisting of RJ-11, RJ-12, and RJ-45 plugs.

---

71. (Once Amended) A communications device as defined in claim 34 wherein the communications device comprises a PCMCIA compliant communications card.

---

72. (New) A communications device as defined in claim 34, wherein the communications device is compliant with the height and length of a Type III card.

---

73. (New) A communications device as defined in claim 72 wherein the communications device comprises a PCMCIA Type III compliant communications card.

---

74. (New) A communications device as defined in claim 39 wherein the means for conveying a communications signal comprises:

at least one recess means provided in the connector housing means, the recess means having dimensions such that a plug is closely received therein;

a first electrical conductor provided in the recess means, the first electrical conductor being positioned such that it makes electrical continuity with a first electrical contact in the plug when the plug is received by the recess means;

a second electrical conductor provided in the recess means, the second electrical conductor being positioned such that it makes electrical continuity with a second electrical contact in the plug when the plug is received by the recess means; and

means for conveying any electrical signal present on the first and second electrical contact to the communications device.

75. (New) A communications device as defined in claim 74 wherein the recess means closely receives an RJ-xx series plug.

76. (New) A communications device as defined in claim 75 wherein the RJ-xx series plug is selected from the group consisting of RJ-11, RJ-12, and RJ-45 plugs.

77. (New) A communications device as defined in claim 39 wherein the communications device comprises a PCMCIA compliant communications card.

78. (New) A communications device as defined in claim 39, wherein the communications device is compliant with the height and length of a Type III card.

79. (New) A communications device as defined in claim 78 wherein the communications device comprises a PCMCIA Type III compliant communications card.

#### REMARKS

With entry of this amendment, claims 34-39 and 68-79 are pending in this application, claims 34-39 and 68-71 of which stand rejected under 35 U.S.C. §102 and §103, and claims 72-